

BinaxNOW™ G6PD Reagent A

Safety Data Sheet This document has been prepared in accordance with the SDS requirements of the OSHA Hazard Communication Standard 29 CFR 1910.1200

SECTION 1: Identification	
1.1. Identification	
Product form	: Mixture
Product name	: BinaxNOW™ G6PD Reagent A
1.2. Recommended use and restriction	ons on use
Use of the substance/mixture	: For professional use only
1.3. Supplier	- 1 2
Abbott Diagnostics Scarborough, Inc. 10 Southgate Road Scarborough, Maine 04074 - United States T +1 (207) 730-5750 <u>ts.scr@abbott.com</u>	
1.4. Emergency telephone number	
Emergency number	: 1-800-424-9300
SECTION 2: Hazard(s) identificati	on
2.1. Classification of the substance of	
GHS US classification	
Serious eye damage/eye irritation Category	/ 2 H319 Causes serious eye irritation
Full text of H statements : see section 16	
2.2. GHS Label elements, including p	precautionary statements
GHS US labeling	
Hazard pictograms (GHS US)	
Signal word (GHS US)	: Warning
Hazard statements (GHS US)	: H319 - Causes serious eye irritation
Precautionary statements (GHS US)	 P264 - Wash hands thoroughly after handling P280 - Wear eye protection, protective clothing, protective gloves. P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P337+P313 - If eye irritation persists: Get medical advice/attention.
2.3. Other hazards which do not resu	Jit in classification
No additional information available	
2.4. Unknown acute toxicity (GHS US	5)
Not applicable	
SECTION 3: Composition/Informa	ation on ingredients
3.1. Substances	
Natandaabla	

Not applicable

3.2. **Mixtures**

Name	Product identifier	%	GHS US classification
Tris (hydroxymethyl) aminomethane	(CAS-No.) 77-86-1	2.42	Skin Irrit. 2, H315 Eye Irrit. 2A, H319 STOT SE 3, H335
TRITON™ X-100 polyethyleneglycol para-(1,1,3,3-tetramethylbutyl)phenyl ether	(CAS-No.) 9002-93-1	1	Acute Tox. 4 (Oral), H302 Eye Dam. 1, H318

Safety Data Sheet This document has been prepared in accordance with the SDS requirements of the OSHA Hazard Communication Standard 29 CFR 1910.1200

Full text of hazard classes and H-statements : see section 16

SECT	ION 4: First-aid measures		
.1.	Description of first aid measures		
	aid measures general		Under normal conditions of use, no adverse effects to health have been observed.
	aid measures after inhalation		Remove person to fresh air and keep comfortable for breathing. Not expected to present a significant inhalation hazard under anticipated conditions of normal use.
First-a	aid measures after skin contact	:	Remove affected clothing and wash all exposed skin area with mild soap and water, followed by warm water rinse. Wash skin with plenty of water.
First-a	aid measures after eye contact	:	Not expected to present a significant eye contact hazard under anticipated conditions of normal use. Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.
First-a	aid measures after ingestion	:	Not expected to present a significant ingestion hazard under anticipated conditions of normal use. Call a poison center/doctor/physician if you feel unwell.
.2.	Most important symptoms and effect	ts (a	acute and delayed)
Poten sympt	tial Adverse human health effects and toms	:	Not expected to present a significant hazard under anticipated conditions of normal use.
Symp	toms/effects after inhalation	:	None under normal use.
Symp	toms/effects after eye contact	:	Causes serious eye irritation.
4.3.	Immediate medical attention and sp	ecia	I treatment, if necessary
reat sy	ymptomatically.		
SECT	ION 5: Fire-fighting measures		
5.1.	Suitable (and unsuitable) extinguish	ing	media
Suitat	ble extinguishing media	:	Water spray. Dry powder. Foam. Carbon dioxide.
Unsui	table extinguishing media		None known.
.2.	Specific hazards arising from the ch	emi	cal
	dous decomposition products in case of		Toxic fumes may be released.
5.3.	Special protective equipment and p	002	utions for fire-fighters
	ahting instructions		Use water spray or fog for cooling exposed containers. Exercise caution when fighting any
Throng		•	chemical fire. Prevent fire-fighting water from entering environment.
Protec	ction during firefighting	:	Do not enter fire area without proper protective equipment, including respiratory protection. Do not attempt to take action without suitable protective equipment.
SECT	ION 6: Accidental release meas	sur	es
5.1.	Personal precautions, protective eq	uipr	nent and emergency procedures
5.1.1.	For non-emergency personnel		
Emerç	gency procedures	:	Evacuate area. Avoid contact with skin and eyes.
5.1.2.	For emergency responders		
_	For emergency responders ctive equipment	:	Do not attempt to take action without suitable protective equipment. Equip cleanup crew with proper protection. For further information refer to section 8: "Exposure controls/personal protection".
Protec		:	proper protection. For further information refer to section 8: "Exposure controls/personal
Protec Emerç	ctive equipment	:	proper protection. For further information refer to section 8: "Exposure controls/personal protection".
Protec Emerç	ctive equipment gency procedures Environmental precautions	: : to se	proper protection. For further information refer to section 8: "Exposure controls/personal protection".
Protec Emerç 5.2.	ctive equipment gency procedures Environmental precautions		proper protection. For further information refer to section 8: "Exposure controls/personal protection". Evacuate unnecessary personnel.
Protect Emerg	ctive equipment gency procedures Environmental precautions elease to the environment. Prevent entry	nt a	proper protection. For further information refer to section 8: "Exposure controls/personal protection". Evacuate unnecessary personnel.
Emerç 6.2. Avoid re 6.3. Metho	ctive equipment gency procedures Environmental precautions elease to the environment. Prevent entry Methods and material for containme	nt a :	proper protection. For further information refer to section 8: "Exposure controls/personal protection". Evacuate unnecessary personnel. ewers and public waters. Notify authorities if liquid enters sewers or public waters. and cleaning up Take up liquid spill into absorbent material. Soak up spills with inert solids, such as clay or

See Heading 8. Exposure controls and personal protection. For further information refer to section 13.

Safety Data Sheet

This document has been prepared in accordance with the SDS requirements of the OSHA Hazard Communication Standard 29 CFR 1910.1200

SECTION 7: Handling and storage		
7.1. Precautions for safe handling		
Precautions for safe handling	Ensure good ventilation of the work station. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Provide good ventilation in process area to prevent formation of vapor. Avoid contact with skin and eyes. Wear personal protective equipment.	
Hygiene measures	: Wash hands thoroughly after handling. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.	
7.2. Conditions for safe storage, includin	g any incompatibilities	
Storage conditions	: Comply with instructions for use (refer to technical sheet);Keep only in original container.	
Incompatible products	: None known.	
Incompatible materials	: None known.	

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

BinaxNOW G6PD Reagent A- US 12/07/2020		
No additional information available		
Tris (hydroxymethyl) aminomethane (77-86-1)		
No additional information available		
polyethyleneglycol para-(1,1,3,3-tetramethylbutyl)phenyl ether (9002-93-1)		
No additional information available		

8.2. Appropriate engineering controls

Appropriate engineering controls

: Ensure good ventilation of the work station.

Environmental exposure controls

: Avoid release to the environment.

8.3. Individual protection measures/Personal protective equipment

Personal protective equipment:

Avoid all unnecessary exposure.

Eye protection:

Safety glasses

Skin and body protection:

Wear suitable protective clothing

Respiratory protection:

A risk assessment is required

Personal protective equipment symbol(s):



Other information:

Do not eat, drink or smoke during use.

SECTION 9: Physical and chemical properties			
9.1. Information on basic	Information on basic physical and chemical properties		
Physical state	: Liquid		
Color	: red		
Odor	: characteristic		
Odor threshold	: No data available		

Safety Data Sheet

This document has been prepared in accordance with the SDS requirements of the OSHA Hazard Communication Standard 29 CFR 1910.1200

рН	: 9
Melting point	: Not applicable
Freezing point	: No data available
Boiling point	: No data available
Flash point	: No data available
Relative evaporation rate (butyl acetate=1)	: No data available
Flammability (solid, gas)	: Non flammable.
Vapor pressure	: No data available
Relative vapor density at 20 °C	: No data available
Relative density	: No data available
Solubility	: No data available
Partition coefficient n-octanol/water (Log Pow)	: No data available
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available
Explosion limits	: No data available
Explosive properties	: No data available
Oxidizing properties	: No data available
9.2. Other information	

Minimu	m ignition energy :	No data available			
SECTIO	ON 10: Stability and reactivity				
10.1.	Reactivity				
The prod	ne product is non-reactive under normal conditions of use, storage and transport.				
10.2.	Chemical stability				
Not estat	blished.				
10.3.	Possibility of hazardous reactions				
Not estat	blished.				
10.4.	Conditions to avoid				
Direct su	nlight. Extremely high or low temperatures.				
10.5.	Incompatible materials				
Strong ad	Strong acids. Strong bases.				
10.6.	Hazardous decomposition products				
Carbon n	nonoxide. Carbon dioxide.				
SECTIO	ON 11: Toxicological information				
11.1.	Information on toxicological effects				
Acute to	oxicity (oral)	Not classified			
Acute to	oxicity (dermal) :	Not classified			
Acute to	oxicity (inhalation) :	Not classified			
Tris (I	hydroxymethyl) aminomethane (77-86-1)				
LD50	oral rat	> 5000 mg/kg body weight (OECD 425: Acute Oral Toxicity: Up-and-Down Procedure, Rat, Female, Experimental value, Oral, 14 day(s))			
LD50	dermal rat	> 5000 mg/kg body weight (OECD 402: Acute Dermal Toxicity, 24 h, Rat, Male / female, Experimental value, Dermal)			
polye	thyleneglycol para-(1,1,3,3-tetramethylbu	utyl)phenyl ether (9002-93-1)			
1 D50	oral rat	1800 mg/kg (Pat Literature study, Oral)			

BinaxNOW™ G6PD Reagent A

Safety Data Sheet This document has been prepared in accordance with the SDS requirements of the OSHA Hazard Communication Standard 29 CFR 1910.1200

Skin corrosion/irritation	: Not classified
	рН: 9
Serious eye damage/irritation	: Causes serious eye irritation.
	рН: 9
Respiratory or skin sensitization	: Not classified
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified
Reproductive toxicity	: Not classified
STOT-single exposure	: Not classified
Tris (hydroxymethyl) aminomethane (77-8	j-1)
STOT-single exposure	May cause respiratory irritation.
STOT-repeated exposure	: Not classified
Aspiration hazard	: Not classified
Viscosity, kinematic	: No data available
Potential Adverse human health effects and symptoms	: Not expected to present a significant hazard under anticipated conditions of normal use.
	Not expected to present a significant hazard under anticipated conditions of normal use.None under normal use.

2.1. Toxicity		
Ecology - general	: The product is not considered harmful to aquatic organisms or to cause long-term adverse effects in the environment.	
Tris (hydroxymethyl) aminomethane (77-86-1)		
EC50 Daphnia 1	> 980 mg/l (OECD 202: Daphnia sp. Acute Immobilisation Test, 48 h, Daphnia magna, Stati system, Fresh water, Experimental value, GLP)	
polyethyleneglycol para-(1,1,3,3-tetramethylbutyl)phenyl ether (9002-93-1)		
LC50 fish 1	8.9 mg/l (96 h, Pimephales promelas, Literature study)	
EC50 Daphnia 1	26 mg/l (48 h, Daphnia magna, Literature study)	

BinaxNOW G6PD Reagent A		
Persistence and degradability	Not established.	
Tris (hydroxymethyl) aminomethane (77-86-1)		
Persistence and degradability	Readily biodegradable in water.	
polyethyleneglycol para-(1,1,3,3-tetramethylbutyl)phenyl ether (9002-93-1)		
Persistence and degradability	Not readily biodegradable in water.	
Chemical oxygen demand (COD)	2.19 mg/g	
ThOD	2.16 g O₂/g substance	

Bioaccumulative potential 12.3.

BinaxNOW G6PD Reagent A		
Bioaccumulative potential	Not established.	
Tris (hydroxymethyl) aminomethane (77-86-1)		
Partition coefficient n-octanol/water (Log Pow) -2.31 (Experimental value, OECD 107: Partition Coefficient (n-octanol/water): Shake Flask Method, 20 °C)		
Bioaccumulative potential	Not bioaccumulative.	
polyethyleneglycol para-(1,1,3,3-tetramethylbutyl)phenyl ether (9002-93-1)		
Partition coefficient n-octanol/water (Log Pow) 4.86 (Estimated value)		
Bioaccumulative potential	Potential for bioaccumulation ($4 \ge Log \text{ Kow} \le 5$).	

Safety Data Sheet

This document has been prepared in accordance with the SDS requirements of the OSHA Hazard Communication Standard 29 CFR 1910.1200

12.4. Mobility in soil					
Tris (hydroxymethyl) aminomethane (77-86-1)					
1.87 (log Koc, QSAR)					
Highly mobile in soil.					
polyethyleneglycol para-(1,1,3,3-tetramethylbutyl)phenyl ether (9002-93-1)					
No (test)data on mobility of the substance available.					

12.5. Other adverse effects

Other information

: Avoid release to the environment.

SECTION 13: Disposal considerations				
13.1. Disposal methods				
Waste treatment methods	: Dispose of contents/container in accordance with licensed collector's sorting instructions.			
Product/Packaging disposal recommendations	: Dispose in a safe manner in accordance with local/national regulations.			
Ecology - waste materials	: Avoid release to the environment.			
SECTION 14: Transport information				

Department of Transportation (DOT)

In accordance with DOT

Other information

: No supplementary information available.

Transportation of Dangerous Goods

Transport by sea

Air transport

SECTION 15: Regulatory information					
15.1. US Federal regulations					
Tris (hydroxymethyl) aminomethane (77-86-1)					
Listed on the United States TSCA (Toxic Substances Control Act) inventory					
polyethyleneglycol para-(1,1,3,3-tetramethylbutyl)phenyl ether (9002-93-1)					
Listed on the United States TSCA (Toxic Substances Control Act) inventory					
EPA TSCA Regulatory Flag	XU - XU - indicates a substance exempt from reporting under the Chemical Data Reporting Rule, (40 CFR 711).				
45.0. International regulations					

15.2. International regulations

CANADA

	polyethyleneglycol para-(1,1,3,3-tetramethylbutyl)phenyl ether (9002-93-1)			
	Listed on the Canadian DSL (Domestic Substances List)			
EU-Regulations No additional information available National regulations No additional information available				
15.3. US State regulations				
	BinaxNOW G6PD Reagent A			
	State or local regulations	No additional information available		

SECTION 16: Other information

This document has been prepared in accordance with the SDS requirements of the OSHA Hazard Communication Standard 29 CFR 1910.1200

Safety Data Sheet

This document has been prepared in accordance with the SDS requirements of the OSHA Hazard Communication Standard 29 CFR 1910.1200

Other information	: Date of Issue.
	2020 12 07

 •	
H302	Harmful if swallowed
H315	Causes skin irritation
H318	Causes serious eye damage
H319	Causes serious eye irritation
H335	May cause respiratory irritation

SDS US (GHS HazCom 2012)

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.

© 2020 Abbott. All rights reserved. All trademarks referenced are trademarks of either the Abbott group of companies or their respective owners.